




The State of New Hampshire
DEPARTMENT OF ENVIRONMENTAL SERVICES



Thomas S. Burack, Commissioner

January 26, 2009

Mr. Henry Woolner, Commissioner
Hebron- Bridgewater Refuse District
297 Mayhew Turnpike
Bridgewater, New Hampshire 03222

Subject: Standard Permit Application
Processing/Treatment Facility
Bridgewater, NH
WMD Log #: 200800141

Dear Mr. Woolner:

The New Hampshire Department of Environmental Services, Waste Management Division, has completed a review of the above referenced Solid Waste Application. In accordance with the requirements of Env-Sw 304.03 of the New Hampshire Solid Waste Rules, it has been determined that the application is incomplete. The following items should be provided in order that we may determine the application to be complete:

1. Provide the application fee In accordance with Env- Sw 310.02.
2. In accordance with Solid Waste rule, Env-Sw 902.02 (c), ash generators shall comply with the hazardous waste determination requirements in Env-Wm 502. (Copy attached). This would include bottom ash and scrubber ash. The procedures for sampling and analysis to comply with these requirements should be included in the operating plan.
Provide copies of any analyses completed to date on the ash.
3. Section 7 of the Operating Plan refers to storage of E Waste. Please indicate specifically what the District intends to accept and store in this category.

If you have any questions or comments, please contact me at 271-2936.

Sincerely:

Thomas Seigle P.E.
Civil Engineer IV
Solid Waste Management Bureau

Attachments: Env-Wm 502 and 403

DES Web site: www.des.nh.gov

P.O. Box 95, 29 Hazen Drive, Concord, New Hampshire 03302-0095

Telephone: (603) 271-2925 • Fax: (603) 271-2456 • TDD Access: Relay NH 1-800-735-2964