

Received via email
January 26, 2010



**Report Form for
Water Conservation Plans
Small Community Water Systems
January 2010**

PROJECT NAME: Twin Ridge Condominiums CWS
Rolling Hills Well No. 1
TOWN/CITY: Plaistow, New Hampshire
DATE: January 2010
EPA ID # 1932050

PURPOSE This form provides the information needed for small community water systems to meet the reporting requirements of Env-Ws 390, *Water Conservation Rules*. Once completed, this form can fulfill the requirements of Env-Ws 390.10. You don't have to use this form. However, based on experience, the DES has found that use of a form speeds the application process. If you prefer to produce an original report, remember to provide **all the information** required under the rules and the DES recommends that you use this form as a checklist to help ensure your report is complete. Helpful information and reminders are provided throughout the form and are printed in (parenthesis). Copies of this form, the rules, a summary of the rules, educational materials for public distribution, and other useful publications may be found at http://www.des.nh.gov/h2o_conservation.htm.

INSTRUCTIONS

- A. Obtain copies of the following materials from either the DES's Public Information Center (603) 271-2975 or from http://www.des.nh.gov/h2o_conservation.htm.
- Administrative Rule, Env-Ws 390, *Water Conservation Rules*.
 - Fact sheet, *Summary of the Water Conservation Rule*.
 - Any pertinent water efficiency fact sheet.
 - Extra copies of this form.

- B. Review the water conservation rules and guidance materials obtained above. You should use these materials to prepare your water conservation plan. It is suggested that you submit a draft plan for review prior to meeting your public notification requirements in case substantive changes to the plan are necessary. Resubmittal of the report to the public entities can be avoided if initial review is performed by the DES.
- C. Complete the form by answering all questions and providing the appropriate attachments. Answer the questions from top to bottom, unless instructed to skip to another section. Helpful information and reminders are provided throughout the form and are printed in (parenthesis).
- D. Before submitting, review the form to ensure all questions are answered and all attachments are included. When complete submit to:

Water Conservation Plans
Small Community Well Siting Program
DES, Water Supply Engineering Bureau
Post Office Box 95
Concord, NH 03302 -0095

For help with this form or other water conservation planning concerns call Diana Morgan at (603) 271-2947.

Information contained in this form is current as of February 2006. Statutory or regulatory changes that may occur after October 2005 may cause part or all of the information to be invalid. If there are any questions concerning the status of the information please contact DES at (603) 271-2947.

Section 1.0 GENERAL INFORMATION

WELL SITING

Has a Preliminary Well Siting report been submitted to the DES? (If your answer is NO, please contact the DES at (603) 271-2947 before you proceed further.)

YES NO

(The section below asks you to identify the people and companies responsible for the water conservation plan application. This information will help ensure clear communication during the application process.)

1.1 Project Contacts / System Ownership

1.1a Project Contact (Person completing this form?)

Name: **Neil W. Helberg, P.E.**
Address: 44 Stark Lane, Litchfield NH 03052
Company: **Lewis Engineering, PLLC**
Phone Number: 603-886-4985

1.1b Project Owner (Who is responsible for compliance with the water conservation plan, as approved by the DES?)

Name: **Donald Ware, P.E.**
Address: P.O. Box 1947, Merrimack, NH 03054-1947
Company: **Pennichuck WaterWorks, Inc.**
Phone Number: 603-913-2330 FAX: 603-913-2344

1.1c Person responsible for completing the activities outlined in this plan (Please note that the person completing water conservation plan activities must be a certified water system operator or water system personnel supervised by the certified operator.)

Name: **Christopher Countie**
Address: P.O. Box 1947, Merrimack, NH 03054-1947
Company: **Pennichuck WaterWorks, Inc.**
Phone Number: 603-913-2372 FAX: 603-913-2379

1.1d Will ownership of the water system be transferred at a future date from the person listed in 1.1b to a homeowner's association or other entity?

YES ___ NO ___

If YES, indicate below the contact information for the new owner of the water system.

Section 2.0 METERING AND LEAK DETECTION

(This information is needed to help ensure the water conservation plan will meet the intended purpose and that the plan is designed appropriately.)

2.1 Water System

2.1a Is this a new source for an **existing** community water system?

YES NO (If YES, you must complete Sections 2.3, 3.0, 5.0 and 6.0)

2.1b Is this a new source for a new or existing community water system owned by a landlord who supplies water to tenants and includes water service in rental fee, or a new or existing community water system for apartment-style housing that includes water service in a housing fee?

YES NO (If YES, you must complete Sections 2.3, 3.0, 5.0 and 6.0)

2.1c Is this a new source for a **new** community water system that **does not** meet the description in (a) or (b) above?

YES NO (If YES, you must complete Sections 2.2, and 3.0 through 6.0)

2.3 Metering of Existing Small Community Water Systems

(If no further expansion of an existing small community water system is planned the water system may either install meters on all service connections within 3 years of approval of the plan and estimate unaccounted-for water[see section 2.3d], or the system may opt to conduct a comprehensive leak detection survey every 2 years and repair all leaks identified by the survey [See section 2.3e]. If further expansion of the system is proposed, meters must be installed on all new services, regardless of whether the system opts to conduct a leak detection audit rather than metering. Meters are also required on all sources of water for existing small community water systems.)

2.3a Is your system choosing to install meters on your existing system to track unaccounted-for water or is your system adding new service connections to your existing system?

YES NO Meters are installed at all water customers

If YES, your system must estimate unaccounted-for water annually, go to sections 2.3b, 2.3c and 2.3d. If you answered NO, your system must perform a leak detection survey every 2 years, go to section 2.3e.

2.3b Describe below the size of both the source and service connection meters to be utilized by the water system. *(In selecting, installing, and maintaining water meters, the water system must comply with procedures and protocols described in "Manual*

of Water Supply Practices, Water Meters”, document AWWA M6, available from the American Water Works Association.)

Pennichuck Water follows the above AWWA procedures and protocols in the installation and maintenance of water meters.

2.3c Describe below the frequency in which each type of meter will be read. (*Source meters must be read at least every 30 days and service meters must be read at least every 90 days.*)

Source meters (well meters and pump station discharge meter) are read at least twice at month. Service meters are read monthly. Source meters are read on the same day as the service meters are read.

2.3d Estimating Unaccounted-For Water

Describe below how the water system will estimate the volume and percentage of unaccounted-for water. Also note how often the water system proposes estimating unaccounted-for water. (*All new small community water systems and all existing small community water systems opting for metering and water accounting, or existing small community systems that are adding new connections, must meet this requirement. Estimates of unaccounted-for water must be performed at least once a year. If unaccounted-for water exceeds 15%, the system shall develop a response plan in accordance with Env-Ws 390.05(j) and (k), and submit it to the Department within 60 days.*)

If the percentage of unaccounted- for-water vs. pumped water exceeds 15%; the certified operator or qualified water professional shall implement a water audit and leak detection program in accordance with “Manual of Water Supply Practices, Water Audits and Leak Detection” document identification number AWWA M36, American Water Works Association, 1999. The water system shall have an ongoing water audit and leak detection program in order to keep the amount of unaccounted-for-water as low as possible. The certified operator will calculate the percentage of unaccounted-for-water at least once per year. Unaccounted- for- water is the difference between the total water pumped from the pump station, and the customer metered usage. A response plan shall be submitted to the DES for approval within 60 days. Upon NHDES DWGB approval of the response plan, any leaks located by the leak detection survey shall be repaired within 60 days.

2.3e Water Audit and Leak Detection Program

Describe below who will be responsible for conducting a leak detection survey, the frequency of the surveys and a brief text description of how those surveys will be conducted. (*Surveys for existing systems that are opting out of metering service connections shall be performed at least every two years. Leaks identified by the survey must be repaired within at least 60 days unless a waiver is obtained from the Department. The requirements of this section of the rule must follow the standards set forth in AWWA M36, “Manual of Water Supply Practices, Water Audits and Leak Detection”, available from the American Water Works Association.*)

N/A

Section 3.0 PRESSURE REDUCTION

(Pressure reduction shall be implemented upon obtaining approval of a new source of water when it is technically feasible, consistent with industry standards, and consistent with public health and safety considerations. Existing small community water systems have one year after approval of the conservation plan to implement this requirement, if feasible. All pressure reduction measures must meet the requirements of Env-Ws 372, Design Standards for Small Community Public Water Systems.)

Is pressure reduction technically feasible for this system? If **YES**, explain below how it will be accomplished for the system. If **NO**, explain why below.

YES ___ NO **X** ___

Pressure leaving the pump house is 65+/- psi.
The pressure at the highest unit is 50+/- psi.

Section 4.0 CONSERVATION RATE STRUCTURE

(All new small community water systems and existing small community water systems that are adding new service connections must adopt a rate structure as described in Env-Ws 390.04.)

Describe below the conservation rate structure the water system proposes adopting, or if not practical or feasible for the system, describe below how the water system will manage water service fees to meet the intent of the rule and promote water conservation. (You will need to fill out a waiver application form found at the end of this document.)

The New Hampshire Public Utilities Commission (NHPUC) approved a permanent rate increase for services rendered effective July 28, 2008 for all customers and a step rate increase for bills rendered as of August 13, 2009, the total increase is provided below. The following schedule shows the rates for each category of service:

MONTHLY GENERAL METERED RATE
Effective increase of 18.32%

METER	RATE
5/8"	\$18.18
3/4"	\$26.16
1"	\$42.13
1 1/2"	\$82.10
2"	\$134.41

In addition to this standard customer charge, the monthly volumetric charge is:
\$2.90 per 100 Cubic Feet
100 Cubic Feet = 748 gallons

Section 5.0 PUBLIC NOTIFICATION

(Within seven days of submitting the final water conservation plan for review by the DES a small community water system must provide a copy of this report via certified mail to the governing board of the municipality in which a proposed source is located, to all wholesale customers [if any], and to the regional planning commission for the location of the proposed source. The water system shall supply the governing boards with a copy of a summary of the requirements of Env-Ws 390. This document can be found at http://www.des.nh.gov/h2o_conservation.htm. You must also note in your correspondence to the above-mentioned governing boards that a copy of the Well Siting Application is available for their review at the DES and provide them with DES contact information. The water system shall request that the governing boards amend any site plan submitted to them for review so that it reflects the requirements of Env-Ws 390 and promotes water conservation landscaping principals.)

List the names and addresses of the governing boards receiving public notification. Attach a copy of the cover letter sent to the governing boards and a copy of the certified mail receipts when available. List the educational/outreach materials that the system is providing to the municipalities for review.

Sean R. Fitzgerald Town Manager Town of Plaistow 145 Main Street Plaistow, NH 03865	Cliff Sinnott Executive Director Rockingham Planning Commission 156 Water Street Exeter, NH 03833
---	---

Section 6.0 EDUCATIONAL OUTREACH INITIATIVE


(Such an initiative may be achieved in many ways, but must be implemented immediately upon approval of the conservation plan and should include the pertinent water efficiency fact sheets that can be found at the website listed at the beginning of this report. These educational mailings can be included with wellhead protection program educational mailings as required by Env-Ws 378.18 or with the water system service bills. Other acceptable outreach initiatives include water system or homeowner's association newsletters, posting of water conservation fact sheets in public areas used by water system customers, or any other initiative that meets the intent of the rules.)

Provide a brief description of your educational outreach initiative. Include implementation procedures, the person responsible for the initiative, the content of educational mailings proposed (if any), and the wording of any newsletter insertions or public postings. (There is no need to provide copies of educational outreach materials that you are acquiring from DES. Only provide copies of educational outreach materials generated by the water system.)

Educational Outreach fact sheets will be distributed yearly with the Consumer Confidence Report. Educational outreach materials will be obtained from the NHDES WSEB and distributed to customers.

Before submitting, thoroughly check this form to be sure all applicable questions are answered, all information is provided, and all necessary attachments are included. Incomplete submittals will significantly slow the approval process.

If strict compliance with any of the requirements of Env-Ws 390 is not feasible, the small community water system may apply for a waiver to a specific portion of the rule. A waiver application form is provided at the end of this document for your convenience.

Preparer's Signature 
Date 1/26/10

As a reminder, have you included the following?

- Educational outreach initiative documentation and materials created by the water system.
- Public notification documentation (certified mail receipts).
- Public notification cover letters and pertinent documents.
- Other pertinent or supportive materials.

January 20, 2010

VIA U.S. CERTIFIED MAIL

Mr. Cliff Sinnott
Executive Director
Rockingham Planning Commission
156 Water Street
Exeter, NH 03833

**Re: Water Conservation Plan for Twin Ridge Condominiums
Plaistow, New Hampshire**

Dear Mr. Sinnott:

Applicants applying for approval of new drinking water sources for Community Water Systems and applicants for Large Withdrawal Permits are subject to the requirements of Env-Ws 390, *Water Conservation Rules*. As part of the application process we must complete a water conservation plan for the new water sources and submit it for review by the New Hampshire Department of Environmental Services (NHDES). We must also perform the following Public Notification tasks.

- Provide copies of a summary of Env-Ws 390 and the proposed water conservation plan for the water system to the governing board of the municipality in which the water system is located and the regional planning commission established for the area where the water system is located.
- Request that the governing board of each municipality review the water conservation plan for consistency with Env-Ws 390 and amend the local site planning requirements to promote water conservation landscaping practices within the service area of the new water system.
- Request that the regional planning commission review the water conservation plan for consistency with Env-Ws 390 and promote water conservation landscaping and other conserving water use practices among its member towns.

We are requesting that you review the enclosed materials, comment on the water conservation plan, and promote water conservation practices within your jurisdictional area. You have twenty-one (21) days to review and provide comment to NHDES on the water conservation plan. This 21-day period commences upon the receipt date of certified mailing of this correspondence.

Please communicate your comments in writing to NHDES at your earliest convenience and address all comments to:

Derek Bennett
NHDES – WSEB
P.O. Box 95
Concord, NH 03302-0095

In addition, if you wish to review the preliminary well siting or large withdrawal permit application, you may contact the above NHDES staff at 603-271-6685 or email at derekbennett@des.nh.gov.

Thank you for your time and cooperation.

Sincerely,
Lewis Engineering, PLLC

Neil W. Helberg, P.E.

Cc: Derek Bennett
Donald Ware, P.E., PWW
Chris Countie, PWW

2009.026twinridgerockingham

January 20, 2010

VIA U.S. CERTIFIED MAIL

Sean R. Fitzgerald, Town Manager
Town of Plaistow
145 Main Street
Plaistow, NH 03865

**Re: Water Conservation Plan for Twin Ridge Condominiums
Plaistow, New Hampshire**

Dear Mr. Fitzgerald:

Applicants applying for approval of new drinking water sources for Community Water Systems and applicants for Large Withdrawal Permits are subject to the requirements of Env-Ws 390, *Water Conservation Rules*. As part of the application process we must complete a water conservation plan for the new water sources and submit it for review by the New Hampshire Department of Environmental Services (NHDES). We must also perform the following Public Notification tasks.

- Provide copies of a summary of Env-Ws 390 and the proposed water conservation plan for the water system to the governing board of the municipality in which the water system is located and the regional planning commission established for the area where the water system is located.
- Request that the governing board of each municipality review the water conservation plan for consistency with Env-Ws 390 and amend the local site planning requirements to promote water conservation landscaping practices within the service area of the new water system.
- Request that the regional planning commission review the water conservation plan for consistency with Env-Ws 390 and promote water conservation landscaping and other conserving water use practices among its member towns.

We are requesting that you review the enclosed materials, comment on the water conservation plan, and promote water conservation practices within your jurisdictional area. You have twenty-one (21) days to review and provide comment to NHDES on the water conservation plan. This 21-day period commences upon the receipt date of certified mailing of this correspondence.

Please communicate your comments in writing to NHDES at your earliest convenience and address all comments to:

Derek Bennett
NHDES – WSEB
P.O. Box 95
Concord, NH 03302-0095

In addition, if you wish to review the preliminary well siting or large withdrawal permit application, you may contact the above NHDES staff at 603-271-6685 or email at derekbennett@des.nh.gov.

Thank you for your time and cooperation.

Sincerely,
Lewis Engineering, PLLC

Neil W. Helberg, P.E.

Cc: Derek Bennett
Donald Ware, P.E., PWW
Chris Countie, PWW

2007.007sweethilltmanager



Water Conservation Rules (Env-Ws 390)

Applicants applying for permits to develop new sources of water need to be aware that they are subject to new water conservation requirements required by RSA 485.61 which became law in July 2002. The law requires that the Department of Environmental Services (Department) adopt and administer water conservation rules for applicants developing the following type of new water sources:

1. New sources of groundwater for community water systems subject to RSA 485:3;
2. New sources of groundwater for bottled and bulk water operations subject to RSA 485:3;
3. New sources of groundwater that exceed 57,600 gallons over any 24-hour period subject to RSA 485-C; and
4. New sources of surface water associated with projects that require a water quality certification pursuant to Section 401 of the Federal Clean Water Act.

The Department met with an advisory committee consisting of representatives of municipalities, community water systems, environmental organizations, and business and industry to develop the water conservation rules. The rules were formally adopted by the Department in May 2005.

A general summary of the requirements of the water conservation rules is provided below.

Requirements for All Large Community Water Systems and All New Small Community Water Systems Developing New Sources of Water

1. Install and maintain meters for all water withdrawals and service connections.
2. Implement a water audit, leak detection and leak repair program in accordance with the "Manual of Water Supply Practices, Water Audits and Leak Detection", document identification number AWWA M36, American Water Works Association, 1999.
3. When applicable, development and implementation of response plans to reduce unaccounted for water to less than 15%.
4. Implement a rate structure that encourages efficient water use.
5. Implement a water conservation educational outreach initiative.

**Requirements for Existing Small Community Water Systems
Developing New Sources of Water**

1. Either: a) Install source and service connection meters and implement a water audit, leak detection and leak repair program in accordance with the "Manual of Water Supply Practices, Water Audits and Leak Detection", document identification number AWWA M36, American Water Works Association, 1999; or b) Complete a system-wide leak detection once every two years.
2. Repair all leaks within 60 days of identification.
3. Implement a water conservation educational outreach initiative.

**Requirements for Applicants Developing New Sources of Water for Industrial,
Commercial, or Institutional Water Uses**

1. Install water meters for all water sources.
2. Retrofit or replace single pass water-cooling systems when feasible based upon an economic analysis that includes a four-year payback period.
3. Install controls to stop the overflow or discharge of water to waste when feasible based upon an economic analysis that includes a four-year payback period.
4. Identify water conservation best management practices or best available technologies that may be applicable to the types of water-using processes at the subject facility, and implement these measures when feasible based upon an economic analysis that includes a four-year payback period.
5. For all new lawn areas, install six (6) inches of loam and devices to shut-off automatic irrigation systems when not needed.

For more information about the water conservation rules, contact Brandon Kernan at 271-0660 or bkernan@des.state.nh.us.

Water Conservation Requirements for New Small Community Water Systems
(Env-Ws 390, *Water Conservation*)

A new small community water system seeking approval for a source of drinking water must meet the requirements of New Hampshire Administrative Rule Env-Ws 390, *Water Conservation*. Those requirements are outlined below.

Application (Env-Ws 390.10). A proposed small community water system shall submit a report with the Preliminary Well Siting Report that demonstrates compliance with Env-Ws 390.04, 10, & 11. The report should address the following issues:

- **Metering.** Include a timetable for installing water meters on all service connections except that used for firefighting and all water sources (wells). This section should also document the proper sizing of the above water meters in accordance with the specifications of the manufacturer. Selection, installation, and maintenance of water meters must comply with procedures and protocols described in "Manual of Water Supply Practices, Water Meters-Selection, Installation, Testing, and Maintenance," document identification number AWWA M6, American Water Works Association, 1999. The report must reflect the recommendations of this manual.
- **Maintenance Plan.** The plan shall include a schedule for reading meters. All meters on individual service connections must be read at least once every 90 days. All source meters must be read at least once every 30 days. The selection, installation, and maintenance of water meters shall be completed by-water system personnel under the supervision of a certified water system operator.
- **Water Audit and Leak Detection Program.** Propose a Water Audit and Leak Detection Program, including an implementation schedule and responsible person, that meets the guidelines in the "Manual of Water Supply Practices, Water Audits and Leak Detection" document identification number AWWA M36, American Water Works Association, 1999. The Program should also include a schedule to repair all leaks identified during the water audit and leak detection survey. Env-Ws 390 requires that all leaks be repaired within 60 days of discovery unless a waiver is obtained. The Program must include a process for estimating the volume and percentage of unaccounted-for water using protocols and procedures described in AWWA M36. These estimates must be made yearly. **
- **Unaccounted for Water Response Plan and Schedule.** In the event that the percentage of unaccounted for water identified during the Water Audit and Leak Detection survey exceeds 15% of the total water introduced to the water system, the water system operator must prepare and submit a Response Plan to the department within 60 days of discovery. Propose a process, timetable, and the person responsible for preparing and submitting a Response Plan. The Response Plan shall identify how the water system intends to reduce the percentage of unaccounted for water to below 15% within 2 years, except for the

leaks that must be repaired within 60 days of discovery. Once the responsible party has prepared the Response Plan the department shall approve it within 90 days if it contains recommended actions that comply with the requirements specified in Env-Ws 390. The water system must implement the Response Plan upon receiving approval from the department. **

- Pressure Reduction. If applicable, the preliminary report shall include a schedule to implement pressure reduction when it is technically feasible, consistent with water system industry standards and regulations; and consistent with other public health and safety considerations. Include a proposal for pressure reduction if the above standards can be met.
- Conservation Rate Structure. If applicable, the preliminary report shall include a rate structure that promotes water conservation. The rate structure shall be based on a unit price of water; and the amount of water used by each connection to the water system. The unit price of water for residential connections shall remain the same or increase with the volume of water consumed. **
- Water Conservation Education Outreach Initiative. Propose a water conservation educational outreach initiative using materials prepared by the department. For small systems this initiative will include educational mailings and resemble a Source Water Protection Program for new well sitings. Implementation shall include the applicable public notification and outreach requirements to municipal governments within its service area as stated in Env-Ws 390.11, and promoting water conservation to customers immediately upon obtaining approval for the new source.**

**These activities outlined in the preliminary report shall be completed by water system personnel under the supervision of a certified water system operator.

Public Notification (Env-Ws 390.11). Within 7 days of submitting the report the applicant shall provide a copy of the application and report via certified mail to the governing board of the municipality in which a proposed source is located, all municipalities that will receive water from the water system (if any), all wholesale customers of the water system (if any), and the regional planning commission serving the location of the proposed source. In most cases, for small water systems, only the municipality and the regional planning commission will require notification. The notified entities may provide the department with written comments regarding the application within 21 day of receipt. The applicant must provide the governing boards with a summary of the requirements of Env-Ws 390. The applicant must request that the governing board amend the local site planning requirements to reflect the requirements of Env-Ws 390 or to promote water efficiency.

Site Visit (Env-Ws 390.12). The department shall conduct a site visit within 30 days of receipt of the report. The purpose of the site visit is to review the report with the water user and assess the accuracy of the processes described in the report.

The department shall either approve or deny the application within 45 days of receipt of the report.

On-Going Compliance with Water Conservation Rules (Env-Ws 390.13). The water system shall submit a form every 3 years documenting how compliance with the requirements of Env-Ws 390.04 in being achieved. This form will be supplied by the department.

Bennett, Derek

From: Neil Helberg [neil.lewis.h2o@comcast.net]
Sent: Tuesday, January 26, 2010 3:07 PM
To: Bennett, Derek
Cc: 'Bruce Lewis'; 'Countie, Chris'
Subject: Plaistow - Twin Ridge Condos - Conservation Plan for Rolling Hill Well 1 ---EPA # 1932050

Follow Up Flag: Follow up
Flag Status: Flagged



Twin Ridge
Conservation Plan R..

Hi Derek:

Attached is Conservation Plan for the reactivated Rolling Hills Well No. 1 at Twin Ridge Condos CWS in Plaistow.

Please review the attached conservation plan and let me know if any changes are required prior to forwarding the Plan to the Town and Rockingham County Regional Planning Commission.

Thanks,

Neil Helberg

Neil W. Helberg, P.E.
Lewis Engineering, PLLC
44 Stark Lane
Litchfield, NH 03052
603-886-4985
603-566-4324 cell

