




**Shoreland Files 1999 – 2004 (6 year data)**


<b>Total Files Opened:</b>	<b>592</b>
•Variances	118 20%
•Complaints (Enforcement)	474 80%
<b>Of the Enforcement Files:</b>	
- No Formal Enforcement Action	264 56%
- Formal Enforcement Actions	163 34%
- No violation*	47 10%
<b># Complaints Resolved</b>	<b>73 15%</b>
<b>Combined resolved and no violation 25%</b>	






### Shoreland Enforcement Case Load

- One enforcement person for the state
- 99 new files each year
  - 79 complaints of violations:
    - 27 formal actions
    - 8 no violation
    - 44 no formal action
- Files can stay open as long as 5 years
- **Current Case load is 176 files**



### Most documented violations occur within the Natural Woodland Buffer



### Types of Violations:

- Healthy Well Distributed Stand
- Basal Area
- Root/Stump Removal within 50'
- Primary Building Line
- Accessory Structure
- Erosion controls
- Siltation or turbidity
- Other




### Shoreland Files 2004

		6 Year Data	
<b>Total Files Opened:</b>	<b>96</b>		
•Variances and Waivers	44	46%	20%
•Complaints (Enforcement)	52	54%	80%
<b>Of the Enforcement Files:</b>			
-No Enforcement Action	13	25%	56%
-Enforcement Actions	19	37%	34%
-No Violation	20	38%	10%
<b># Cases Resolved</b>	<b>6</b>	<b>11%</b>	<b>17%</b>
<b>No Violation + Cases Resolved</b>	<b>26</b>	<b>50%</b>	<b>25%</b>

RSA 483-B:9 V(a)(2)(A) Natural Woodland Buffer

A healthy, well distributed stand of trees, saplings, shrubs, ground cover, and their living undamaged root systems shall be left in place


**Violations of "Healthy Well Distributed Stand"**



**Accessory Structures must be:**

- Set back 20 feet from the reference line
- Not exceed 20 feet in height;
- Footprint no larger than 150 sq. ft.;
- Cover no more than 25% of the property


**Violations - Accessory Structures**



RSA 483-B:9 V(a)(2)(A) Natural Woodland Buffer

(a)(2)(E) Stumps and their root systems which are located within 50' of the reference line, shall be left intact in the ground....

**Violations - Stumps Removed Within 50'**



RSA 483-B:9 V(a)(2)(A) Natural Woodland Buffer

Not more than a maximum of 50 percent of the basal area of trees, and a maximum of 50 percent of the total number of saplings shall be removed for any purpose in a 20 year period..

**Violations - Basal Area**



